

Prescription Drugs

for Dispensers Specification

> Version 01 01.30.2024

Table of Contents

1.	Overview	3
2.	File Format	4
2.1.	File Naming Conventions	4
2.2.	SFTP Connection Details	4
3.	ASAP 4.2a Message Details	5
Revi	sion History1	.5

1. Overview

This specification covers the supply of medications to a person/patient for use by pharmacy systems. Dispensers¹ will submit controlled and noncontrolled prescription drug (non-CDS)² dispense information to CRISP³ using the American Society for Automation in Pharmacy (ASAP) format.

The guide will specify the data and prescription drug information that must be submitted by dispensers to CRISP, the timeframe and frequency of data submission, the electronic reporting specifications, and the process for dispensers who are unable to submit data due to mechanical, electrical, or other technical failure.

CRISP

CRISP will facilitate access to patients' complete medication history as permitted by law to assist health care providers, care managers, and local health departments to facilitate the treatment and care coordination of patients and understand and promote matters of health equity and treatment efficacy.

CRISP has contracted with Leap Orbit to develop a database to collect and store dispense information. Leap Orbit's RxGov is a web-based program that records and tracks medication dispenses. RxGov is designed to be a comprehensive system which facilitates communication between multiple user groups to ensure patient confidentiality, data security, and the presentation of accurate information. The RxGov application operates in an online environment that does not require any special hardware or software. As part of the medication history hosting service, RxGov provides appropriate infrastructure to accept data supplied by dispensers. Dispensers who submit CDS dispense information to RxGov as required by §21–2A–03 of the Health – General Article may submit non-CDS dispense information along with CDS dispense information in the same format.

¹ "Dispenser" means a person authorized by law to dispense, as defined in the Health Occupations Article § 12-101, a prescription drug to

a patient or the patient's agent in the State, including a nonresident pharmacy so authorized. See COMAR 10.25.18.02 for exceptions. ² Noncontrolled Prescription Drug means a prescription drug, as defined in §21-201 of Health General Article, which is not a controlled dangerous substance designated under Title 5, Subtitle 4 of the Criminal Law Article.

³ CRISP is a 501(c)(3) independent non-stock Maryland membership corporation.

2. File Format

2.1. File Naming Conventions

The information on the following pages contains the definitions for the specific contents required of uploaded records in the American Society for Automation in Pharmacy (ASAP) version 4.2a or 4.2b format.

The following elements are used in each upload file:

- Segment Identifier indicates the beginning of a new segment, for example, PHA.
- Data Delimiter character used to separate segments and the data elements within a segment, for example, an asterisk (*).
 - Each completed field should be followed by an asterisk, and each blank field should contain a single asterisk.
 - If the last field in the segment is blank, it should contain an asterisk and a tilde (~).

Note: The Transaction Header is the only segment that has a Data Segment Terminator field built in.

- Segment Terminator character used to mark the end of a segment, for example, the tilde (~).
- Field Usage
 - R = Required by Connie
 - N = Not required but accepted if submitted
 - S = Situational

Reports for multiple dispensers/pharmacies can be in the same upload file in any order.

Files for upload should be named in a unique fashion, with a prefix constructed from the date and Connie assigned unique id. (YYYYMMDD)_[ABCDEF] and a suffix of ".dat". An example file name would be "20231201_AGRXCT.dat" where AGRXCT represents the unique id assigned by Connie.

2.2. SFTP Connection Details

Hostname: <u>https://mft.conniect.org</u>

Username: Will be provided securely to organization contact on file Password: Will be provided securely to organization contact on file Port: 22

First Time Login

The *first time* you login to the service account will *require 2fa* to be used and very complex passwords (which will be supplied). The interface is browser based. Once you login you can change the password. Your organization will then be able to automate SFTP file transmissions on your service account.

The initial password will expire in 90 days. An email will be sent 10 days prior to expiration, 7 days prior to expiration and after the account expires. You should then change the password that will be used in your automation and select a complex password with 12 or more characters. Connie recommends that you use a departmental email address to receive notifications related to account expiration, errors, etc.

Account credential policies:

- Just a Password 1 year and needs to be changed.
- Just a Private key 2 years and needs to be changed.
- Password OR Private key and Whitelisting 3 years and needs to be changed.

3. ASAP 4.2a Message Details

Element ID	Size	Element Name	Missing	Incorrect Format		
	ansaction	Header (required)	Usage		Tormat	
		the start of a transaction. It also assigns the data element se	parator.	segment		
		control number.				
TH01	AN4	Version/Release Number				
		_	_			
		Code uniquely identifying the transaction. Format = x.x	R	E		
		Valid codes are 4.2A, 4.2B, or 5.0				
TH02	AN40	Transaction Control Number	_	_		
		Sender assigned code uniquely identifying a transaction.	R	E		
TH03	N2	Transaction Type				
		Identifies the purpose of initiating the transaction.				
		01 Send/Request Transaction				
		• 02 Acknowledgement (used in Response only)				
		• 03 Error Receiving (used in Response only)	S		W	
		• 04 Void (used to void a specific Rx in a real-time transmission				
		or an entire batch that has been transmitted. When 04 is used				
		only, the TH Header Segment and the Transaction Trailer				
		Segment are used)				
TH04	AN40	Response ID				
		Contains the Transaction Control Number of a transaction	6			
		that initiated the transaction. Required in response	S			
		transaction only.				
TH05	DT8	Creation Date				
		Date the transaction was created.	R	E		
		Format: CCYYMMDD				
TH06	TM6	Creation Time				
		Time the transaction was created.	R	E	E	
		Format: HHMMSS or HHMM.				
TH07	AN1	File Type				
		• P = Production	R	E	W	
		• T = Test				
TH08	N6	Routing Number				
		Reserved for real-time transmissions that go through a	s			
		network switch to indicate, if necessary, the specific PMP the				
		transaction should be routed to.				
тн09	AN1	Segment Terminator Character				
		This terminates the TH segment and sets the actual value of	R	E		
		the data segment terminator for the entire transaction.				
IS: In	formation	Source (required)				
		the name and identification numbers of the entity supplying	the info	rmation.		
IS01	, AN10	Unique Information Source ID	R	E		
1301			IN I	_ 		

		Reference number or identification number.			
		(Example: phone number)			
IS02	2 AN60 Information Source Entity Name Entity name of the Information Source				
		R	E		
IS03	AN60	Message	N		
		Free-form text message.	IN		
PHA	Pharmac	y Header (required)			
		fy the pharmacy.			
		ired that information be provided in at least one of these fields:	PHA01 o	r PHA03	
PHA01	AN10	National Provider Identifier (NPI)	- *	_	_
		Identifier assigned to the pharmacy by CMS	R*	E	E
PHA02	AN7	NCPDP/NABP Provider ID			
		Identifier assigned to pharmacy by the National Council for	S		
		Prescription Drug Programs.			
PHA03	AN9	DEA Number			
-		Identifier assigned to the pharmacy by the Drug Enforcement	R*	Е	Е
		Administration.			
PHA04	AN60	Pharmacy Name	_		
		Free-form name of the pharmacy.	R		
PHA05	AN55	Address Information – 1			
		Free-form text for address information.	R		
PHA06	AN55	Address Information – 2			
		Free-form text for address information.	N		
PHA07	AN35	City Address			
		Free-form text for city name.	R		
PHA08	AN2	State Address	_		
		U.S. Postal Service state or other regional jurisdiction code.	R		
PHA09	AN10	Zip Code Address			
		U.S. Postal Service ZIP Code			
		Do not include white spaces or special characters. Include	R		
		hypens in ZIP+4			
PHA10	AN10	Phone Number			
		Complete phone number including area code. Do not include	Ν	w	w
		hyphens.			
PHA11	AN30	Contact Name	NI		
		Free-form name.	N		
PHA12	AN10	Chain Site ID	N		
		Store number assigned by the chain to the pharmacy location.	N		
PHA13	AN20	Pharmacy Permit/License Number			
		Identification assigned to the pharmacy by the Licensing			
		Board. To be utilized for non-controlled substances (e.g.,			
		gabapentin, Insulin) only when the pharmacy does not have			
		an NPI number or DEA number (e.g. veterinarian). In this	S		
		instance, leave PHA01 and PHA03 blank and insert the			
		pharmacy's or dispenser's Connecticut state license number			
		in PHA13.			

	-	skip PHA05 through PHA09 for foreign addresses.	1 1		[
PAT01	AN2	ID Qualifier of Patient Identifier	N		
		Code identifying the jurisdiction that issues the ID in PAT03.			
PAT02	N2	ID Qualifier			
		Code to identify the type of ID in PAT03. If PAT02 is used,			
		PAT03 is required.			
		• 01 Military ID			
		02 State Issued ID			
		• 03 Unique System ID	R*	Е	w
		• 04 Permanent Resident Card (Green Card)			
		• 05 Passport ID			
		06 Driver's License ID			
		• 07 Social Security Number			
		• 08 Tribal ID			
		• 99 Other (agreed upon ID)			
PAT03	AN20	ID of Patient			
		Identification number for the patient as indicated in PAT02.	N		
		An example would be the driver's license number.			
PAT04	AN2	ID Qualifier of Additional Patient Identifier	Ν		
		Code identifying the jurisdiction that issues the ID in PAT06.			
PAT05	N2	Additional Patient ID Qualifier			
		Code to identify the type of ID in PAT06 if the PMP requires a			
		second identifier. If PAT05 is used, PAT06 is required.			
		• 01 Military ID			
		02 State Issued ID			
		• 03 Unique System ID	Ν		
		04 Permanent Resident Card			
		05 Passport ID			
		06 Driver's License ID			
		O7 Social Security Number			
		• 08 Tribal ID			
		• 99 Other (agreed upon ID)			
PAT06	AN20	Additional ID			
		Identification that might be required to further identify the			
		individual. An example might be that in PAT03 driver's	Ν		
		license is required and in PAT06 Social Security number is			
		also required.			
PAT07	AN50	Last Name			
		Patient's last name.	R	Е	
		If the prescription is for an animal, report the owner's last	, N	L	
		name (Human).			
PAT08	AN50	First Name			
		Patient's first name if available.	R	Е	
		If the prescription is for an animal, report the owner's last			

		name (Human).				
PAT09	AN30	Middle Name				
		Patient's middle name or initial if available.				
		It is recommended that a middle name or initial be included	N			
		to help distinguish patients with the same name.				
PAT10	AN10	Name Prefix				
		Patient's name prefix such as Mr. or Dr.	N			
PAT11	AN10	Name Suffix				
		Patient's name suffix such as Jr. or the III.	N			
PAT12	AN55	Address Information – 1	- *			
		Free-form text for address information.	R*			
PAT13	AN55	Address Information – 2				
		Free-form text for address information.	N	N		
PAT14	AN35	City Address				
		Free-form text for city name.	R*			
PAT15	AN10	State Address				
		U.S. Postal Service state or other regional jurisdiction code.	R*			
PAT16	AN10	Zip Code Address				
		U.S. Postal Service ZIP Code	R*			
		Do not include white spaces or special characters. Include	K.			
		hypens in ZIP+4.				
PAT17	AN10	Phone Number				
		Complete phone number including area code.	Ν			
		Note: Do not include hyphens in the number.				
PAT18	DT8	Date of Birth				
		Date patient was born. If animal, user owner's Date of Birth.	R	E	W	
		Format: CCYYMMDD				
PAT19	AN1	Gender Code				
		Code indicating the sex of the patient.				
		• F - Female				
		• M - Male	R	E	W	
		• U – Unknown				
		If the patient is an animal, please enter the owner's gender				
		or "unknown".				
PAT20	N2	Species Code				
		Used if required by the PMP to differentiate a prescription for		-		
		an individual from one prescribed for an animal.	R	E	W	
		• 01 Human				
DAT21	NO	O2 Veterinary Patient				
PAT21	N2	Patient Location Code Code indicating where patient is located when receiving				
		pharmacy services.01 Home				
		01 Home 02 Intermediary Care	R	E	w	
		O3 Nursing Home				
		• 04 Long-Term/Extended Care				
		05 Rest Home				
			I	I		

		06 Boarding Home			
		• 07 Skilled-Care Facility			
		07 Skilled-Care Facility 08 Sub-Acute Care Facility			
		• 09 Acute Care Facility			
		• 10 Outpatient			
		• 11 Hospice			
		• 98 Unknown			
		• 99 Other			
PAT22	AN20	Country of Non-U.S. Resident			
		Used when the patient's address is a foreign country and	S		
		PAT12 through PAT16 are left blank. This is a freeform text			
		field			
PAT23	AN30	Name of Animal			
		Applicable only if PAT20 = 02 (veterinary patient), please	S		
		submit the name of the animal			
DSP: D	Dispensing	Record (required)			
		the basic components of a dispensing of a given prescription	order in	cluding t	he
	nd quantit			0.	
DSP01	N2	Reporting Status			
		DSP01 requires one of the following codes, and an empty or			
		blank field no longer indicates a new prescription			
		transaction:			
		OO New Record (indicates a new prescription dispensing			
		transaction)	R	Е	Е
		• 01 Revise (indicates that one or more data element values		-	L
		in a previously submitted transaction are being revised)			
		• 02 Void (message to the PMP to remove the original			
		prescription transaction from its data, or to mark the record			
		as invalid or to be ignored)			
DSP02	AN25	Prescription Number			
D3F02	ANZJ	Serial number assigned to the prescription by the pharmacy.	R	E	
DSP03	DT8	Date Written			
03502		Date the prescription was written (authorized).	R	Е	w
		Format: CCYYMMDD	n	E	vv
DSP04	N2	Refills Authorized			
D3P04	INZ	The number of refills authorized by the prescriber.	R	E	
DCDOF	DT8	Date Filled			
DSP05	018		R	Е	w
		Date the prescription was filled. Format: CCYYMMDD	ĸ	E	vv
DCDQC	N/2				
DSP06	N2	Refill Number	_	-	144
		Number of the fill of the prescription.	R	E	W
D0007		0 indicates New Rx; 01-99 is the refill number.	+		
DSP07	N2	Product ID Qualifier			
		Used to identify the type of product ID contained in DSP08.	R	Е	Е
		• 01 NDC			
		06 Compound			

DSP08	AN15	Product ID			
		Full 11-digit NDC number, as indicated in DSP07, created by			
		adding a leading zero to the appropriate segment to result in			
		a 5-4-2 formatted NDC number, without punctuation.	R	Е	w
		If compound is indicated in DSP07, use 99999 as the first 5	ĸ	E	vv
		characters and the submitter's choice for the remaining 6			
		digits of the NDC number; the CDI segment then becomes			
		required.			
DSP09	D11	Quantity Dispensed			
		Number of metric units dispensed in metric decimal format.	R	Е	w
		Example: 2.5	n	E	vv
		Note: For compounds show the first quantity in CDI04.			
DSP10	N3	10 Days' Supply			
		Estimated number of days the medication will last.	R E		W/E
		Warning if over 360, Error if response below 1			
DSP11	N2	Drug Dosage Units Code			
		Identifies the unit of measure for the quantity dispensed in			
		DSP09.	R	Е	w
		• 01 Each	n	E	vv
		• 02 Milliliters (ml)			
		• 03 Grams (gm)			
DSP12	N2	Transmission Form of Rx Origin Code			
		Code indicating how the pharmacy received the prescription.			
		O1 Written Prescription			
		02 Telephone Prescription			
		 03 Telephone Emergency Prescription 	R	Е	W
		04 Fax Prescription			
		05 Electronic Prescription			
		06 Transferred			
		• 99 Other			
DSP13	N2	Partial Fill Indicator			
		Used when the quantity in DSP 09 is less than the metric			
		quantity per dispensing authorized by the prescriber. This			
		dispensing activity is often referred to as a split filling.			
		• 00 Not a Partial Fill	Ν		
		• 01 First Partial Fill			
		Note: For additional fills per prescription, increment by 1. So,			
		the second partial fill would be reported as 02, up to a			
		maximum of 99.			
DSP14	AN10	Pharmacist National Provider Identifier (NPI)			
		Identifier assigned to the pharmacist by CMS. This number	Ν		
		can be used to identify the pharmacist dispensing the			
		medication.			
DSP15	AN10	Pharmacist State License Number			
		This data element can be used to identify the pharmacist	Ν		
		dispensing the medication.			
		Assigned to the pharmacist by the Licensing Board.			

DSP16	N2	Classification Code for Payment Type			
		Code identifying the type of payment (i.e. how it was paid			
		for)			
		• 01 Private Pay (cash, charge, credit card)			
		• 02 Medicaid	_	_	
		• 03 Medicare	R	E	w
		• 04 Commercial Insurance			
		05 Military Installations and VA Of Workers' Companyation			
		 06 Workers' Compensation 07 Indian Nations 			
		• 99 Other			
DSP17	DT8	Date Sold			
D3F17		This field is used to determine the date the prescription left			
		the pharmacy, not the date it was filled.	Ν		
		Format: YYYYMMDD			
DSP18	N2	RxNorm Code Qualifier			
		RxNorm Code that is populated in the DrugDBCodeQualifier			
		(DRU-010-09) field in the SCRIPT transaction.			
		• 01 Semantic Clinical Drug (SCD)	Ν		w
		 02 Semantic Branded Drug (SBD) 			
		• 03 Generic Package (GPCK)			
		• 04 Branded Package (BPCK)			
DSP19	AN15	RxNorm Code			
		Used for electronic prescriptions to capture the prescribed	N	W	
DCD20	4 11 2 5	drug product identification.			
DSP20	AN35	Electronic Prescription Reference Number	N		
		This field should be populated with the MessageID in XML in the SCRIPT transaction.	IN		
DSP21	AN35	Electronic Prescription Order Number			
05121	ANJ	This field will be populated with PrescriberOrderNumber in	N		
		XML in the SCRIPT standard.			
DSP22	N15	Quantity Prescribed			
		This field adds clarity to the value reported in DSP13, Partial	R*		
		Fill Indicator.			
DSP23	AN200	Rx Sig			
		This field captures the actual directions printed on the	Ν		
		prescription vial label.			
DSP24	N2	Treatment Type			
		This field indicates that the prescription was for opioid	_		
		dependency treatment when Code 02 is used.	N		
		01 = Not used for opioid dependency treatment			
B 6 B 6 T		02 = Used for opioid dependency treatment			
DSP25	AN7	Diagnosis Code	N		
		This field is used to report the ICD-10 code.			

PRE01	AN10	National Provider Identifier (NPI)			
		Identifier assigned to the prescriber by CMS. Must be			
		populated with the NPI for a non-controlled drug prescriber if	R*		
		a DEA # is not provided in PRE02. If the prescriber's DEA is	K*		
		provided in PRE02, this field can be left blank.			
PRE02	AN9	DEA Number			
		Identifying number assigned to a prescriber or an institution			
		by the Drug Enforcement Administration (DEA). Must be	R*		
		populated Must be populated with the DEA number if the			
		reported medication is a controlled substance.			
PRE03	AN7	DEA Number Suffix			
		Identifying number assigned to a prescriber by an institution	S		w
		when the institution's number is used as the DEA number.			
PRE04	AN15	Prescriber State License Number			
-	_	Identification assigned to the prescriber by the Licensing			
		Board. To be utilized for non-controlled substances (e.g.,			
		gabapentin, Insulin) only when the prescriber does not have			
		an NPI number or DEA number (e.g., veterinarians). In this	S		
		instance, leave PRE01 and PRE02 blank and insert the			
		prescriber's Connecticut state license number in PRE04.			
		Note: Use your full state license number formatted as issued			
		ex: 1.038562; 47.0000000; 23.000000			
PRE05	AN50	Last Name	_	-	
		Prescriber's last name.	R	E	
PRE06	AN50	First Name	R	Е	
		Prescriber's first name.	N	-	
PRE07	AN30	Middle Name	N		
		Prescriber's middle name or initial.			
PRE08	AN10	Phone Number			
		Complete phone number including area code. Do not include	N		
		hyphens.			
PRE09	AN9	XDEA Number			
		This field is in addition to Treatment Type in the DSP	N		
		segment. This gives PDMPs the option to require the XDEA			
		Number (NADEAN) in the PRE segment.			
CDI: C	ompound	Drug Ingredient Detail (situational)			
Use o	f this segn	nent is required when medication dispensed is a compound ar	nd one o	f the	
		PMP reporting drug. If more than one ingredient is for a press			ıø
-		ing drug, then this would be incremented by one for each con	•		-
• •	reported.		npound i	ngi culen	·
noing	reported.				
-	is filled in	, the NDC of DSP08 must begin with 99999.			
-	is filled in, N2	the NDC of DSP08 must begin with 99999. Compound Drug Ingredient Sequence Number	R*	Е	

		ingredient is incremented by 1.				
CDI02	N2					
		Code to identify the type of product ID contained in CDI03.	R*	E	E	
		• 01 NDC				
CD103	AN15	Product ID				
		Full 11-digit NDC number, created by adding a leading zero	R*	E		
		to result in a 5-4-2 formatted NDC number, as indicated in	IN I	L .		
		CDI02, without punctuation.				
CDI04	D11 Compound Ingredient Quantity Metric decimal quantity of the ingredient identified in CDI03. R*					
Metric decimal quantity of the ingredient identified in CD				E		
		Example: 2.5				
CDI05	N2	Compound Drug Dosage Units Code				
		Identifies the unit of measure for the quantity dispensed in				
		CDI04.				
		 01 Each (used to report as package) 	R*	E	w	
		• 02 Milliliters (ml) (for liters, adjust to the decimal milliliter				
		equivalent)				
		• 03 Grams (gm) (for milligrams, adjust to the decimal gram				
		equivalent)				
or pic		lized Rx pads are used, the PMP requires information on the prescription, or for data elements not included in other det	-			
or pic Note:	If this segn	e prescription, or for data elements not included in other det nent is used, at least one of the data elements (fields) will be	-			
or pic		prescription, or for data elements not included in other det nent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number	e require			
or pic Note:	If this segn	e prescription, or for data elements not included in other det nent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued	-			
or pic Note:	If this segn	prescription, or for data elements not included in other det nent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number	e require N			
or pic Note: AIR01	If this segn	e prescription, or for data elements not included in other detendent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIR02 is used. State Issued Rx Serial Number	e require			
or pic Note: AIR01 AIR02	If this segn	prescription, or for data elements not included in other determent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIRO2 is used.	e require N			
or pic Note: AIR01 AIR02	If this segn AN2 AN20	 prescription, or for data elements not included in other detents is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIRO2 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. 	e require N			
or pic Note: AIR01 AIR02	If this segn AN2 AN20	 prescription, or for data elements not included in other detents is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIR02 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction 	e require N N			
or pic Note: AIR01 AIR02 AIR03	If this segn AN2 AN20	 prescription, or for data elements not included in other detents is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIR02 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIR04. 	e require N N			
or pic Note: AIR01 AIR02 AIR03	If this segn AN2 AN20 AN2	 prescription, or for data elements not included in other detents is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIR02 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIR04. Required if the value in AIR04 is 02 or 06. 	e require N N			
or pic Note: AIR01 AIR02 AIR03	If this segn AN2 AN20 AN2	 prescription, or for data elements not included in other determent is used, at least one of the data elements (fields) will be state Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIR02 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIR04. Required if the value in AIR04 is 02 or 06. Qualifier of Person Dropping Off or Picking Up Rx 	e require N N			
or pic Note: AIR01 AIR02 AIR03	If this segn AN2 AN20 AN2	 prescription, or for data elements not included in other detenent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIRO2 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIRO4. Required if the value in AIRO4 is 02 or 06. Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIRO5 for person 	e require N N			
or pic Note: AIR01 AIR02 AIR03	If this segn AN2 AN20 AN2	 prescription, or for data elements not included in other detenent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIRO2 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIRO4. Required if the value in AIRO4 is 02 or 06. Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIRO5 for person dropping off or picking up the prescription. 	e require N N			
or pic Note: AIR01 AIR02 AIR03	If this segn AN2 AN20 AN2	 prescription, or for data elements not included in other detenent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIRO2 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIRO4. Required if the value in AIRO4 is 02 or 06. Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIRO5 for person dropping off or picking up the prescription. 01 Military ID 02 State Issued ID 03 Unique System ID 	N N			
or pic Note: AIR01 AIR02 AIR03	If this segn AN2 AN20 AN2	 prescription, or for data elements not included in other detinent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIRO2 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIRO4. Required if the value in AIRO4 is 02 or 06. Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIRO5 for person dropping off or picking up the prescription. 01 Military ID 02 State Issued ID 03 Unique System ID 04 Permanent Resident Card (Green Card) 	n N			
or pic Note: AIR01 AIR02	If this segn AN2 AN20 AN2	 prescription, or for data elements not included in other detinent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIRO2 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIRO4. Required if the value in AIRO4 is 02 or 06. Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIRO5 for person dropping off or picking up the prescription. 01 Military ID 02 State Issued ID 03 Unique System ID 04 Permanent Resident Card (Green Card) 05 Passport ID 	N N			
or pic Note: AIR01 AIR02 AIR03	If this segn AN2 AN20 AN2	 prescription, or for data elements not included in other detinent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIRO2 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIRO4. Required if the value in AIRO4 is 02 or 06. Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIRO5 for person dropping off or picking up the prescription. 01 Military ID 02 State Issued ID 03 Unique System ID 04 Permanent Resident Card (Green Card) 05 Passport ID 06 Driver's License ID 	N N			
or pic Note: AIR01 AIR02 AIR03	If this segn AN2 AN20 AN2	 prescription, or for data elements not included in other detinent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIR02 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIR04. Required if the value in AIR04 is 02 or 06. Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIR05 for person dropping off or picking up the prescription. 01 Military ID 02 State Issued ID 03 Unique System ID 04 Permanent Resident Card (Green Card) 05 Passport ID 06 Driver's License ID 07 Social Security Number 	N N			
or pic Note: AIR01 AIR02 AIR03	If this segn AN2 AN20 AN2	 prescription, or for data elements not included in other detinent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIRO2 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIRO4. Required if the value in AIRO4 is 02 or 06. Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIRO5 for person dropping off or picking up the prescription. 01 Military ID 02 State Issued ID 03 Unique System ID 04 Permanent Resident Card (Green Card) 05 Passport ID 06 Driver's License ID 07 Social Security Number 08 Tribal ID 	N N			
or pic Note: AIR01 AIR02 AIR03 AIR04	If this segn AN2 AN20 AN2 N2	 prescription, or for data elements not included in other detinent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIRO2 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIRO4. Required if the value in AIRO4 is 02 or 06. Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIRO5 for person dropping off or picking up the prescription. 01 Military ID 02 State Issued ID 03 Unique System ID 04 Permanent Resident Card (Green Card) 05 Passport ID 06 Driver's License ID 07 Social Security Number 08 Tribal ID 99 Other (agreed upon ID) 	N N			
or pic Note: AIR01 AIR02 AIR03	If this segn AN2 AN20 AN2	 prescription, or for data elements not included in other det nent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIRO2 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIRO4. Required if the value in AIRO4 is 02 or 06. Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIRO5 for person dropping off or picking up the prescription. 01 Military ID 02 State Issued ID 03 Unique System ID 04 Permanent Resident Card (Green Card) 05 Passport ID 06 Driver's License ID 07 Social Security Number 08 Tribal ID 99 Other (agreed upon ID) ID of Person Dropping Off or Picking Up Rx 	n N N N			
or pic Note: AIR01 AIR02 AIR03 AIR04	If this segn AN2 AN20 AN2 N2	 prescription, or for data elements not included in other detinent is used, at least one of the data elements (fields) will be State Issuing Rx Serial Number USPS code of state or other regional jurisdiction that issued serialized prescription blank. This is required if AIRO2 is used. State Issued Rx Serial Number Number assigned to issued serialized prescription blank. Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIRO4. Required if the value in AIRO4 is 02 or 06. Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIRO5 for person dropping off or picking up the prescription. 01 Military ID 02 State Issued ID 03 Unique System ID 04 Permanent Resident Card (Green Card) 05 Passport ID 06 Driver's License ID 07 Social Security Number 08 Tribal ID 99 Other (agreed upon ID) 	N N			

AIR06	N2	 Relationship of Person Dropping Off or Picking Up Rx Code indicating the relationship of the person. 01 Patient 02 Parent/Legal Guardian 	N	
		 • 03 Spouse • 04 Caregiver • 99 Other 		W
AIR07	AN50	Last Name of Person Dropping Off or Picking Up Rx Last name of person picking up the prescription.	N	
AIR08	AN50	First Name of Person Dropping Off or Picking Up Rx First name of person picking up the prescription.	N	
AIR09	AN50	Last Name or Initials of Pharmacist Last name or initials of pharmacist dispensing the medication.	N	
AIR10	AN50	First Name of Pharmacist First name of pharmacist dispensing the medication.	N	
AIR11	N2	 Dropping Off/Picking Up Identifier Qualifier Additional qualifier for the ID contained in AIR05 01 Person Dropping Off 02 Person Picking Up 03 Unknown/Not Applicable 	N	w
Used	to identify	ailer (required) the end of data for a given pharmacy and provide the count reported for the pharmacy, including the PHA and TP segme		otal number of
TP01		Detail Segment Count Number of detail segments included for the pharmacy including the pharmacy header (PHA) and the pharmacy trailer (TP) segments.	R	
Used	to identify	Trailer (required) the end of the transaction and provide the count of the tota ed in the transaction.	l numbe	r of
TT01		Transaction Control Number Identifying control number that must be unique. Assigned by the originator of the transaction. Must match the number in TH02.	R	
TT02		Segment Count Total number of segments included in the transaction including the header and trailer segments.	R	

Revision History

Date	Version	Author	Comments
1/30/2024	1.0	Connie	Create initial document.
2/13/2024	1.1	Connie	Updated to include RxGov requirements and information.